



Government of India
Ministry of Commerce & Industry
Petroleum & Explosives Safety Organisation (PESO)
5th Floor, A-Block, CGO Complex, Seminary Hills,
Nagpur - 440006

E-mail : explosives@explosives.gov.in
 Phone/Fax No : 0712 -2510248, Fax-2510577

Approval No : A/P/HQ/TN/104/6576 (P600571)

Dated : 20/06/2024

To,
M/s. R. STAHL Schaltgeräte GmbH,
Am Bahnhof 30,Waldenburg
74638
GERMANY

Sub : Approval of Flame Proof, Increased Safety Type Electrical Equipments. under Petroleum Rules 2002- Regarding.

Sir(s),

Please refer to your letter No. **OIN1520367** dated **04/06/2024** on the subject.

The following Ex electrical equipment(s) manufactured by you according to **IEC 60079-0 : 2017, IEC 60079-1 : 2014-06, IEC 60079-7 : 2017,** standards and covered under **Physikalisch-Technische Bundesanstalt (PTB)** Test reports mentioned below is/are approved for use in **Zone 1** of Gas **IIC** hazardous areas coming under the the Petroleum Rules, 2002 administered by this Organization.

Sr. No	Description	Safety Protection	Equipment reference Number	Test Agency			Drawing no
				Name	Certificate No.	Certificate Date	
1	Maintenance socket type 8570/51-***-*(-*)	Ex db eb IIC T6 ... T5 Gb	P600571/1	Physikalisch-Technische Bundesanstalt (PTB)	IECEX PTB 21.0026X Issue No 0	11/04/2022	As per test report

This Approval is granted subject to observance of the following conditions:-

- 1)The design and construction of the equipment shall be strictly in accordance with description, condition and drawings as mentioned in the Physikalisch-Technische Bundesanstalt (PTB) Test Reports referred to above.
- 2)The equipment shall be used only with approved type of accessories and associated apparatus.
- 3)Each equipment shall be marked either by raised lettering cast integrally or by plate attached permanently to the main structure to indicate conspicuously:-
 - (a) Name of the manufacturer
 - (b) Name and number by which the equipment is identified.
 - (c) Number & date of the test report of the Physikalisch-Technische Bundesanstalt (PTB) applicable to the equipment.
 - (d) Equipment reference number of this letter by which use of apparatus is approved.
 - (e) Protection level.
- 4) A certificate to the effect that the equipment has been manufactured strictly in accordance with the drawing referred to in the Physikalisch-Technische Bundesanstalt (PTB) Test report and is identical with the one tested and certified at Physikalisch-Technische Bundesanstalt (PTB) shall be furnished with each equipment.
- 5) The customer shall be supplied with a copy of this letter, an extract of the conditions and maintenance schedule, if any, recommended by Physikalisch-Technische Bundesanstalt (PTB) in their test reports and copy of instructions booklet detailing operation & maintenance of the equipment so as to maintain its Flame Proof characteristics.
- 6) The After sales service and maintenance of subject equipment shall be looked after by your representative R.STAHL PRIVATE LIMITED, Plot No. 5 Malrosapuram Main Road Sengundram Indl Area

This approval also covers the permissible variations as approved under the Physikalisch-Technische Bundesanstalt (PTB) test reports referred above. This approval is liable to be cancelled if any of the conditions of the approval is violated or not complied with . The approval may also be amended or withdrawn at any time, if considered necessary in the interest of safety.

The field performance report from actual users/your customers of the subject equipment may please be collected and furnished to this office for verification and record on annual basis.
 The Approval is Valid upto **31/12/2028**

Yours faithfully,

(Nishanta Mridul)
Dy. Controller of Explosives
For Chief Controller of Explosives
Nagpur

- Copy to :
1. Jt. Chief Controller of Explosives, South Circle Office, CHENNAI
 2. R.STAHL PRIVATE LIMITED,Plot No. 5 Malrosapuram Main Road Sengundram Indl Area

for Chief Controller of Explosives
Nagpur

(For more information regarding status,fees and other details please visit our website <http://peso.gov.in>)

This is System Generated document. Signature is not required.