



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2021322310003809

NAME AND ADDRESS OF THE APPLICANT

R.STAHL Schaltgeräte GmbH
Am Bahnhof 30, 74638, Waldenburg, Germany

NAME AND ADDRESS OF THE MANUFACTURER

R.STAHL Schaltgeräte GmbH
Am Bahnhof 30, 74638, Waldenburg, Germany

NAME AND ADDRESS OF THE FACTORY

R.STAHL Schaltgeräte GmbH
Am Bahnhof 30, 74638, Waldenburg, Germany

NAME, SERIES, MODEL AND SPECIFICATION

Converter FXopis
9721/13-11-14; 9721/13-11-54

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB/T 3836.1-2021、GB/T 3836.3-2021

This is to certify that the above-mentioned product(s) complies with the requirements of implementation rules for compulsory certification (CNCA-C23-01:2024).

Issue date:2026-03-12 Valid until:2031-03-11

Date of initial issue:2021-03-16

Type of Certification: Type test + Initial inspection + Surveillance inspection


The certificate details and validity can be verified by scanning the QR code below or logging into the issuing authority's official website. It can also be inquired on the CNCA website (www.cnca.gov.cn).

(In case of dispute, the Chinese text shall prevail.)



SITIILAS
Worldwide Access

APPROVAL:



Shanghai Inspection and Testing Institute of Instruments and Automation Systems Co., Ltd.



中国国家强制性产品认证证书

证书编号: 2021322310003809

认证委托人名称及地址

R.STAHL Schaltgeräte GmbH
Am Bahnhof 30, 74638, Waldenburg, Germany

生产者名称及地址

R.STAHL Schaltgeräte GmbH
Am Bahnhof 30, 74638, Waldenburg, Germany

生产企业名称及地址

R.STAHL Schaltgeräte GmbH
Am Bahnhof 30, 74638, Waldenburg, Germany

产品名称和系列、型号、规格

光电转换器

9721/13-11-14; 9721/13-11-54

产品标准和技术要求

GB/T 3836.1-2021、GB/T 3836.3-2021

上述产品符合《强制性产品认证实施规则 防爆电气》

(CNCA-C23-01:2024)的要求, 特发此证。

发证日期:2026 年 03 月 12 日 有效期至:2031 年 03 月 11 日

首次发证日期:2021 年 03 月 16 日

认证模式:型式试验+初始工厂检查+获证后监督

证书信息和有效性可扫描下方二维码或登录发证机构网站查验,
也可在认监委网站 (www.cnca.gov.cn) 查询。



批 准:

上海仪器仪表自控系统检验测试所有限公司





中国国家强制性产品认证证书

证书编号: 2021322310003809

证书附页: 第 1 页 共 1 页

产品名称:

光电转换器

型号规格:

9721/13-11-14; 9721/13-11-54

防爆标志:

Ex ec IIC T4 Gc

电气参数:

端子	电气参数
供电 (VDC1/GND) 以太网接口	$U_n = 12 \sim 24V DC$ $P_n = 2.5 W$
光纤接口 (TX/RX)	$P_o \leq 15 mW$

相关报告编号:

2021S17402-005256、2023S17402-010900

使用条件:

特殊使用条件:

1. 本产品须安装于外壳防污染等级为 2 级的壳体中;
2. 本产品须安装于符合国家标准 GB/T 3836.1-2021 和 GB/T 3836.3-2021 规定的、外壳防护等级不低于 IP54 的外壳中, 方可用于爆炸性危险场所;
3. 产品使用环境温度范围为 $(-30 \sim +75) ^\circ C$ 。

本页为证书附页, 应与证书主页同时使用。



SITI **AS**
Worldwide Access

批 准:

郭新华

上海仪器仪表自控系统检验测试所有限公司

