

CERTIFICATE OF COMPLIANCE

Certificate Number 20130715-E81680
Report Reference E81680-20060823
Issue Date 2013-JULY-15

Issued to: R STAHL SCHALTGERAETE GMBH
AM BAHNHOF 30
74638 WALDENBURG GERMANY

**This is to certify that
representative samples of**

PROCESS CONTROL EQUIPMENT FOR USE IN
HAZARDOUS LOCATIONS; PROCESS CONTROL
EQUIPMENT FOR USE IN ZONE CLASSIFIED
HAZARDOUS LOCATIONS

USL: Class I, Division 1, Groups A, B, C and D and Class I,
Zone 0, AEx ia IIC T4 Hazardous Locations.

CNL: Class I, Division 1, Groups A, B, C and D and Class I,
Zone 0, Ex ia IIC T4 Hazardous Locations.


Pilot Light Type 8010/3-02-ws, intrinsically safe when
installed per Control Drawing No. 80-106-01-31-3.

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety: See Addendum Page

Additional Information: See the UL Online Certifications Directory at
www.ul.com/database for additional information

Only those products bearing the UL Listing Mark for the US and Canada should be considered as being covered by UL's Listing and Follow-Up Service meeting the appropriate requirements for US and Canada.

The UL Listing Mark for the US and Canada generally includes: the UL in a circle symbol with "C" and "US" identifiers:  the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.



William R. Carney, Director, North American Certification Programs
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus



CERTIFICATE OF COMPLIANCE

Certificate Number 20130715-E81680
Report Reference E81680-20060823
Issue Date 2013-JULY-15

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Standards for Safety:

UL 913, Intrinsically Safe Apparatus and Associated Apparatus for Use in Class I, II, and III, Division 1, Hazardous (Classified) Locations.

UL 60079-0 & CAN/CSA-C22.2 No. 60079-0:11, Explosive atmospheres – Part 0: Equipment – General requirements.

UL 60079-11 & CAN/CSA-C22.2 No. 60079-11:11, Explosive Atmospheres – Part 11: Equipment Protection by Intrinsic Safety “I”.

CAN/CSA C22.2 No. 157-92, Intrinsically Safe and Non-incendive Equipment for Use in Hazardous Locations.



William R. Carney, Director, North American Certification Programs
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus

