



THE STRONGEST LINK.

**STAHL**

THE ENCLOSURE THAT DOES IT ALL

The G150 Series

# ENCLOSURES FOR ALL NEEDS

## Certifications



FILE # E493795 (Screw Cover)  
FILE # E493796 (Hinged Cover)  
Type 3, 4, 4X

UL50  
UL50E

C22.2 No. 94.1-15  
C22.2 No. 94.2-15

Suitable for use in Class I, Division 2  
hazardous locations per NEC 501.10(B) ®

## Features

- Enclosure made from brush finished stainless steel 1.4404 (AISI 316L).
- With a choice of screw-on, or hinged with cam locks cover.
- Hinged versions with wide opening angle of 130°.
- 1/4" external earth connection.
- Silicone foam in place gasket.
- Mounting holes can be mounted vertically and horizontally.
- Withstands a wider range of ambient temperatures due to high-quality sealing materials.
- Protection channel that runs around the edge to prevent the ingress of water.
- Flange plate that can be screwed on from the outside for easy installation.
- NEMA 4 ingress protection

## Advantages



12660E00

The new form of the edges allows quick water drainage and prevent water from accumulating around the gasket. This solution helps to increase the safety inside the enclosure.



13128E00

The flange plate mounted from the outside is another advantage of this enclosure: This guarantees a perfect accessibility - even if the cables are already built-in.



13130E00

The large beam width allows you a comfortable access and an easy and fast handling.



12659E00

If regular access is required, the version equipped with a cam lock and a hinge is recommended (hinged left, cam lock on right).



13129E00

The earth connection 1/4" is already included in the delivery. In addition, there are different mounting possibilities.

## G150 Options

- Removable gland plates
- Galvanized back pan
- 316SS back pan
- Nonmetallic breather / drain
- SS breather / drain

Dimensions					
Standard Items	SST	Cover	Width inches (mm)	Height inches (mm)	Depth inches (mm)
G150/0-0176-0116-091-3311-S	316	Screw	7 (176)	4.5 (116)	3.5 (91)
G150/0-0176-0176-091-3311-S	316	Screw	7 (176)	7 (176)	3.5 (91)
G150/0-0176-0360-150-3321-S	316	Hinge	7 (176)	14 (360)	6 (150)
G150/0-0180-0250-120-3311-S	316	Hinge	7.1 (180)	10 (250)	4.75 (120)
G150/0-0200-0300-150-3321-S	316	Hinge	8 (200)	12 (300)	6 (150)
G150/0-0236-0176-091-3311-S	316	Screw	9.25 (236)	7 (176)	3.5 (91)
G150/0-0236-0176-150-3311-S	316	Screw	9.25 (236)	7 (176)	6 (150)
G150/0-0260-0260-190-3321-S	316	Hinge	10.25 (260)	10.25 (260)	7.5 (190)
G150/0-0300-0200-150-3321-S	316	Hinge	12 (300)	8 (200)	6 (150)
G150/0-0300-0380-210-3311-S	316	Hinge	12 (300)	15 (380)	8.25 (210)
G150/0-0300-0400-150-3321-S	316	Hinge	12 (300)	15.75 (400)	6 (150)
G150/0-0300-0400-230-3321-S	316	Hinge	12 (300)	15.75 (400)	9 (230)
G150/0-0360-0176-091-3311-S	316	Screw	14 (360)	7 (176)	3.5 (91)
G150/0-0360-0176-150-3311-S	316	Screw	14 (360)	7 (176)	6 (150)
G150/0-0360-0176-190-3311-S	316	Screw	14 (360)	7 (176)	7.5 (190)
G150/0-0360-0360-091-3311-S	316	Screw	14 (360)	14 (360)	3.5 (91)
G150/0-0360-0360-150-3311-S	316	Screw	14 (360)	14 (360)	6 (150)
G150/0-0360-0360-150-3321-S	316	Hinge	14 (360)	14 (360)	6 (150)
G150/0-0360-0360-190-3311-S	316	Screw	14 (360)	14 (360)	7.5 (190)
G150/0-0360-0360-190-3321-S	316	Hinge	14 (360)	14 (360)	7.5 (190)
G150/0-0360-0360-230-3311-S	316	Screw	14 (360)	14 (360)	9 (230)
G150/0-0360-0550-230-3321-S	316	Hinge	14 (360)	22 (550)	9 (230)
G150/0-0360-0750-230-3321-S	316	Hinge	14 (360)	29.5 (750)	9 (230)
G150/0-0360-0900-230-3321-S	316	Hinge	14 (360)	35.5 (900)	9 (230)
G150/0-0380-0300-210-3321-S	316	Hinge	15 (380)	12 (300)	8.25 (210)
G150/0-0380-0380-210-3321-S	316	Hinge	15 (380)	15 (380)	8.25 (210)
G150/0-0380-0600-210-3321-S	316	Hinge	15 (380)	23.5 (600)	8.25 (210)
G150/0-0400-0300-150-3311-S	316	Screw	15.75 (400)	12 (300)	6 (150)
G150/0-0400-0300-230-3311-S	316	Screw	15.75 (400)	12 (300)	9 (230)
G150/0-0400-0400-150-3311-S	316	Screw	15.75 (400)	15.75 (400)	6 (150)
G150/0-0400-0400-150-3321-S	316	Hinge	15.75 (400)	15.75 (400)	6 (150)
G150/0-0400-0400-230-3321-S	316	Hinge	15.75 (400)	15.75 (400)	9 (230)
G150/0-0400-0600-150-3321-S	316	Hinge	15.75 (400)	23.5 (600)	6 (150)
G150/0-0400-0600-230-3321-S	316	Hinge	15.75 (400)	23.5 (600)	9 (230)
G150/0-0480-0787-230-3321-S	316	Hinge	19 (480)	31 (787)	9 (230)
G150/0-0500-0400-230-6321-S	316	Hinge	20 (500)	15.75 (400)	9 (230)
G150/0-0550-0360-230-3311-S	316	Screw	21.5 (550)	14 (360)	9 (230)
G150/0-0600-0380-210-3311-S	316	Screw	23.5 (600)	15 (380)	8.25 (210)
G150/0-0600-0400-150-3321-S	316	Hinge	23.5 (600)	15.75 (400)	6 (150)
G150/0-0600-0400-230-3321-S	316	Hinge	23.5 (600)	15.75 (400)	9 (230)
G150/0-0600-0600-150-3321-S	316	Hinge	23.5 (600)	23.5 (600)	6 (150)
G150/0-0600-0600-230-3311-S	316	Screw	23.5 (600)	23.5 (600)	9 (230)
G150/0-0600-0600-230-3321-S	316	Hinge	23.5 (600)	23.5 (600)	9 (230)
G150/0-0600-0760-210-3321-S	316	Hinge	23.5 (600)	30 (760)	8.25 (210)
G150/0-0727-0360-091-3311-S	316	Screw	28.5 (727)	14 (360)	3.5 (91)
G150/0-0727-0360-150-3311-S	316	Screw	28.5 (727)	14 (360)	6 (150)
G150/0-0727-0360-150-3331-S	316	Hinge	28.5 (727)	14 (360)	6 (150)
G150/0-0727-0360-190-3311-S	316	Screw	28.5 (727)	14 (360)	7.5 (190)
G150/0-0750-0360-230-3311-S	316	Screw	29.5 (750)	14 (360)	9 (230)
G150/0-0760-0600-210-3311-S	316	Screw	30 (760)	23.5 (600)	8.25 (210)
G150/0-0760-0760-300-3321-S	316	Hinge	30 (760)	30 (760)	12 (300)
G150/0-0787-0480-230-3311-S	316	Screw	31 (787)	19 (480)	9 (230)
G150/0-0800-1000-300-3321-S	316	Hinge	31.5 (800)	39.5 (1000)	12(300)
G150/0-0900-0400-230-6321-S	316	Hinge	35.5 (900)	15.75 (400)	9 (230)

Series G150

Custom sizes are available. Please contact R. STAHL for more information.



R. STAHL INC.  
13259 N. Promenade Blvd.  
Stafford, TX 77477  
USA  
+1 800 782 4357  
rstahl.com

R. STAHL LTD.  
8925-51 Avenue NW, Unit 303  
Edmonton, AB T6E5J3  
Canada  
+1 877 416 4302  
rstahl.com